



METAL FORM MANUFACTURING CO., INC  
 5960 WEST WASHINGTON STREET  
 PHOENIX, ARIZONA 85043  
 TELEPHONE: 602-233-1211 FAX: 602-233-2033  
 WEBSITE ADDRESS: WWW.MFMCA.COM

# Model MFD-32 Opposed Blade Control Damper Galvanized Steel

## Specifications


- Frame:** Rollformed 16ga. Galvanized steel hat roll form channel frame.
- Blades:** Rollformed 16ga. Galvanized steel triple-v-groove approximately 5" wide minimum.
- Bearings:** Molded Nylon.
- Axles:** Zinc plated hex bearing pin.
- Linkage:** Plated steel brackets, 1/8"x1/2" linkage bar.
- Control Rod:** 1/2" dia. x 6" long plated steel.
- Max. Velocity:** 2000 FPM @ 4" w.g.
- Minimum size:** 8"w x 13"h.
- Maximum size:** 48"w x 72"h.
- size:** Multiple section - unlimited size.

## Options

- Flanged frame.
- Blade edge seals.
- Stainless steel side seals.
- Face and bypass assemblies.
- Operators.
- Sleeves.
- Various materials and gauges available, consult factory.
- Other options are available, consult factory.

## Notes

1. Width x height are nominal opening dimensions. Unless specified otherwise, panels will be constructed 1/4" undersize.
2. Metal Form reserves the right to improve design or change specifications at any time.



Tag	Qty.	Width	Height	No. of Panels (W x H)	Options	Finishes/Specify	Remarks

**Project:** \_\_\_\_\_  
**Architect:** \_\_\_\_\_  
**Engineer:** \_\_\_\_\_  
**Contractor:** \_\_\_\_\_

©2000 Metal Form Manufacturing Co., Inc.  
 Form No. D-3200-S5


Refer to back page for performance data.

# Model MFD-32

## Performance Data


---

### PRESSURE DROP



The pressure drop information is obtained by testing a 36"x 36" damper in accordance with Standard 500 per figure 5.3(in duct). Blades are positioned at 90 degrees full open.

### LEAKAGE CHART



The leakage information is obtained by testing a 36"x 36" damper with optional blade edge and stainless steel side seals in accordance with Standard 500 per figure 5.5(in wall). Holding torque applied is 5in./lbs. per square foot of damper area.